Gebr. HELD alles für die Hydraulik



TESTING **STANDS** & TESTING **CENTRE** FOR **HYDRAULIC HOSES**

THE COMPANY

INNOVATION & QUALITY – MADE IN GERMANY SINCE 1974.

Gebr. HELD is a leading, certified manufacturer, wholesaler and service provider in the field of hydraulics with headquarters in Germany.

The company offers a wide range of products and services around hydraulics, from development and planning to the manufacture and sale of complete systems, hydraulic hose fittings, standard and special cylinders and test benches. The company specializes in the development and manufacture of complete systems hydraulic hose fittings according to DIN EN ISO standards and also offers accessories for hydraulics and compressed air from renowned manufacturers.

Our products are characterised by high quality "Made in Germany".

Our core areas include:

Manufacturing

- Complete systems hydraulic hose fittings according to EN ISO standards and special fittings
- Hydraulic-, standard- and special cylinder construction •
- Test bench construction for impulse and hydrostatic tests as well as tests with flexing and • half-omega tests

Wholesale

- Programmes of well-known manufacturers of fluid technology and accessories for hydrau-• lics and pneumatics
- eShop with more than 300,000 articles from stock 24-hour delivery service



OUR RANGE

Universal test

stands and

Cylinder construction cylinder repair

> Service: **Hydraulics** training courses - Workshops



Focus

- Universal test stands for hose assemblies & fluid power components.
- Impulse and hydrostatic tests as well as tests with flexing and halfomega tests.





ABOUT US



Located in **Germany**

In our headquarters in the south of Germany the test stands are operating for you 365 days a year.



Any Time Access

We are happy take over the complete testing process for you. During the entire testing duration you have access to your tests at all times.



Strictly **Confidential**

Testing is a matter of trust. All data is treated as strictly confidential. We undertake to do so by means of a nondisclosure agreement, if requested.



Complete Documentation

We will take over the documentation of the test for you with a detailed inspection report and supplementary photos.



24h Live Cam

Highest transparency. Optionally, we offer you the possibility to observe your test in progress via live cam with access code, without having to be present personally.

All Common **Testing Standards**

Pressure impulse test and hydrostatic test according to all common standards including flexing and half-omega testing. Due to freely programmable pressure curves and axis movements, even tests beyond the standards are possible.

OUR **TESTING CENTRE**

Modern testing services for your hose tests

Have your hose products tested by us.

Our modern and highly dynamic Testing Centre offers you a cost-saving alternative to buying a machine. Our experienced test technicians carry out your tests according to individual specifications and requirements. After completion of the test, you will receive a detailed test report.





TESTING CENTRE

OUR TEST STAND **HIGHLIGHTS**

EASY OPERABILITY



Latest PLC control via touch screen with user-friendly, visualized operating panel. Integrated powerful PC. Connection to the company's internal network (Industry 4.0). Spacious and fully accessible working areas with large sliding doors made of bulletproof glass.



SERVICE / REMOTE MAINTENANCE Possibility of worldwide remote maintenance

via network connection for fast diagnosis.



CUSTOMISABLE Individual adaptation to customer wishes and requirements possible.





KNOW HOW

practitioners.

Used worldwide by manufacturers and distributors sioning on site without the need for a technician.



ment figures by servo-electrics.

From our own production, from practitioners for

TECHNICALLY MATURE / PLUG AND PLAY

of fluid technology components and hose lines worldwide. Mature system enables simple commis-



POWERFUL TEST PERFORMANCE

Up to 18 test items simultaneously and 36 different connection options, at the same time low power requirement. Optional extension with an intermediate block.



LONGLIFE / LOW MAINTENANCE

No complex maintenance work required. Selfdesigned system of the pressure intensifier, working without seals in the high-pressure range and therefore low-wear.

Low power consumption due to intelligent adaptation system of the pressure intensifier. For model B/08-22E additionally: Highly dynamic axis movements with recuperation and the automatic adjustment of the axle power to the required move-

HIGHLIGHTS

THE COMPACT

FOR STATIC IMPULSE TESTING

GH 4000 B/05-20

| APPLICATION | IMPULSE TESTS ACCORDING TO DIN EN ISO 6803 |
|-----------------------|--|
| Test pressure | 1.500 bar |
| Test performance | up to 420 cm ³ |
| Isobaric test | up to 12 test items simultaneous |
| Nominal hose diameter | up to DN 63 (2 ½") – 350 bar |
| Connected load | 60 kW |
| Dimensions (L/W/H) | 3300 x 1450 x 2100 mm |
| Weight | 4.000 kg |
| Optional upgrade | DIN EN ISO 6772 (Peak curve), Impulse testing starting at 10 bar |





TEST STANDS


THE **POWERFUL**

FOR STATIC IMPULSE TESTING

GH 4000 B/05-21 / GH 4000 B/05-21 PLUS

| APPLICATION | IMPULSE TESTS ACCORDING TO DIN EN ISO 6803 with extended test chamber |
|-----------------------|--|
| Test pressure | 1.500 bar / 2.000 bar |
| Test performance | up to 800 cm ³ |
| Isobaric test | up to 18 test items simultaneous |
| Nominal hose diameter | up to DN 76 (3") – 210 bar |
| Connected load | 60 kW / 70 kW |
| Dimensions (L/W/H) | 4000 x 1450 x 2100 mm |
| Weight | 4.600 kg |
| Optional upgrade | DIN EN ISO 6772 (Peak curve), Impulse testing starting at 10 bar |





TEST STANDS

THE **DYNAMIC**

FOR TESTING WITH MOVEMENT

GH 4000 B/08-22E / GH 4000 B/08-22E PLUS

| APPLICATION | IMPULS TESTS WITH FLEXING according to DIN EN ISO 6803, 6802, (8032) |
|-----------------------|---|
| Test pressure | 1.500 bar / 2.000 bar |
| Test performance | up to 900 cm ³ |
| Isobaric test | up to 18 test items simultaneous |
| Nominal hose diameter | up to DN 76 (3") – 210 bar |
| Connected load | 70 kW / 85 kW |
| Dimensions (L/W/H) | 4800 x 2100 x 3000 mm |
| Weight | 7.000 kg |
| Optional upgrade | DIN EN ISO 6772 (Peak curve) |





TEST STANDS

SECURITY & COMPETENCE


Our customers are more relaxed.

we can offer our support anywhere in the world within a very short time.

The simple, efficient, and low-maintenance operation of our machines saves our customers time and money. Because they know: Development and production "Made in Germany", aimed towards high demands, provide noticeable advantages.

Our Customer Service is there for you.







Further information

CUSTOMER SERVICE

THE GOOD MUST GIVE WAY TO THE BETTER

5 good reasons why you can't pass us by.

Wide range of hydraulic products From the connection, to the hose, to the test stand. We understand your requirements very well.

2

Competence & experience since 1974 We know what we're talking about and give you the confidence you need to choose us.



International presence

Our test benches and products work all over the world. Day after day – supported by our multilingual team.

We are a Everything thing under varied star

We are a system supplier

Everything from one source. Everything under one roof. With the most varied standard and special products.



Powerful team

Young foxes and old hares. People with a wide range of qualifications work for us with only one goal: to develop the best solutions once again every day.

Gebr. HELD alles für die Hydraulik

Gebr. Held Hydraulik Technischer Großhandel GmbH Weilatten 8

78532 Tuttlingen-Möhringen

Get in touch with us and arrange a non-binding consultation:

Telefon +49 74 62 94 57-0 testing@held-hydraulik.de www.held-hydraulik.de



Interactive Brochure